Crestron Flex Advanced Room Upgrade Solution with Microsoft Teams® Rooms



- Upgrades a single Crestron Flex tabletop conference device to a complete video conference system
- Present, call, conference, and collaborate using your own device's UC conference platform (BYOD) or the native Microsoft Teams[®] platform
- Native Microsoft Teams[®] software provides a consistent, simple user experience with one-touch meeting joins
- Complete kit contains a UC bracket assembly and cables
- Easy to specify and install no custom design, programming, or software installation required
- Optional integration with Crestron® control systems
- Direct connection option between UC Engine and Crestron Flex tabletop conference device for simple installation and configuration
- Network management and provisioning, system alerts, and the pairing of the Crestron Flex tabletop conference device to the system's UC Engine through the XiO Cloud® service
- Premium-level support with Crestron Flex Care (optional)
- Enterprise-grade security connects and communicates securely over any enterprise or SMB network
- Supports single or dual video displays

The UC-ENGINE-BRKTX-T-UPGRD solution provides all of the necessary components to upgrade a deployed Crestron Flex tabletop conference device (CCS-UC-1-X) and camera to a complete video conference system for use with the Microsoft Teams Rooms intelligent communications platform. It supports single or dual video displays¹ and features a UC Bracket Assembly and cables.

Native Microsoft Teams® Rooms Experience

The UC-ENGINE-BRKTX-T-UPGRD system brings the full Microsoft Teams Rooms UC experience to any meeting space in an enterprise or SMB facility.

Bring Your Own Device (BYOD)

Conference room visitors can connect their laptop to the Crestron Flex system to use their own UC conference platform. The system's built-in content ingest device switches to the connected laptop's UC platform and returns to the native Microsoft Teams platform when disconnected.

Simplified Deployment

The UC Bracket Assembly provides preassembled components on one ready-to-mount bracket to simplify installation. The assembly can be mounted on a wall, or it can be attached to the rear of the display device. $^{\rm 2}$

Crestron Control System Integration

The UC-ENGINE-BRKTX-T-UPGRD can integrate with a Crestron control system to enable touch screen control of room lighting, motorized window shades, climate control, AV, and other amenities.

Enterprise-Grade Security

Crestron Flex is an enterprise-grade solution, engineered in partnership with Microsoft[®] to integrate seamlessly into any Microsoft Teams Rooms software deployment. Crestron Flex is ideally equipped for mass deployment throughout any sized corporate, university, medical, military, or government facility.

Easy Provisioning and Device Management

The XiO Cloud service⁴ is an IoT cloud based provisioning service that enables installers and IT managers to deploy and manage thousands of devices easily. The XiO Cloud service allows for system alerts, network management and provisioning, and the pairing of a control device to the system's UC Engine. System updates are controlled by Windows[®] software update.

Visit www.crestron.com/xiocloud for additional information.

Premium-Level Support

Crestron Flex Care is an optional subscription service that can be renewed annually (up to 5 years from ship date). It provides 24/7 live remote technical support, an extended five-year warranty on Crestron[®] hardware, expedited advance replacements, and a discounted rate for on-site support.

Visit www.crestron.com/flexcare for additional information.

Dual Control Option

A TS- or TSW- series 7 in. or 10.1 in. touch screen may be added to the solution as an additional control point for the Microsoft Teams Rooms environment.^{2, 4}



Crestron Flex Advanced Room Upgrade Solution with Microsoft Teams® Rooms

Deployment Resources			
View the <u>Crestron Flex Pre-Deployment Checklist</u> to help plan your Crestron Flex installation.		Construction	Metal mounting bracket, black, preassembled with UC Engine (UC-ENGINE-P-T) and CAT5 to USB 3.0 content ingest device
Specifications		Mounting	Surface wall mount behind the display device, or attach to the rear of the display device via the
Included Components			bolts attaching the display to a
UC-BRKT-260-P-T-ASSY	UC Bracket Assembly comprised of:		VESA® compliant display mount; Bracket includes mounting holes on both side edges, spaced 100, 200, and 300 mm vertically, to allow for attachment to either side of the display mounting plate
	 UC Engine: Mini PC with Microsoft Teams video 		
	 ADPT-USB-ENET: USB-to- Ethernet Adapter 		
	 HDMI[®] over CAT5 to USB 3.0 converter for content ingest 	Dimensions	Height: 15.00 in. (381 mm) Width: 14.50 in. (368 mm) Maximum Depth: 1.87 in. (48 mm)
	 Mounting hardware 	Maximum Weight	8.0 lb (3.7 kg)
CBL-4K-DP-HD-6	DisplayPort™ to HDMI Cable, 6 ft (1.8 m); secondary display		8.0 lb (3.7 kg)
CBL-CAT5E-7	Ethernet LAN cable for UC Engine, RJ45-to-RJ45, black, 7 ft (2.1 m)	Models	
		UC-ENGINE-BRKT-T-UPGRD Crestron Flex Room Upgrade Solution with Microsoft Teams® Rooms UC-ENGINE-BRKT-Z-UPGRD Crestron Flex Room Upgrade Solution with Zoom Rooms® Software	
DM-CBL-ULTRA-PC-20	Ethernet LAN cable, CAT6a, RJ45-to-RJ45, blue, 20 ft (6.1 m)		
UC-CAM-WMK	Wall Mount Kit for Crestron® Cameras		
UC Bracket Assembly		UC-ENGINE-BRKTX-T-UPGRD Crestron Flex Advanced Room Upgrade Solution with	
UC Engine	Mini PC, intel Core® i5 processor,	Microsoft Teams [®] Rooms	
	10th Generation, with Windows® 11 IoT edition OS and 100/1000 Mbps Ethernet connectivity	UC-ENGINE-BRKTX-Z-UF Crestron Flex Advanced R Rooms® Software	PGRD Soom Upgrade Solution with Zoom
UC Client	Microsoft Teams Rooms		
Management Client	XiO Cloud Service	Available Accessories For a list of available accessories, visit the <u>UC-ENGINE-</u> <u>BRKTX-T-UPGRD</u> product page.	
Content Ingest	HDMI input via CAT5 to USB 3.0 converter		
Display Output	Single or dual display support ¹		
Display Output	1080p	Neter	
Resolution		Notes:	
Power	UC Engine: 100-240VAC, 50/60 Hz adapter (included); CAT5 to USB 3.0 converter: 24VDC via external 100-240VAC, 50/60 Hz adapter (included)	 Display must support "Wake on Sync" and "Sleep on No Sync" functionality. Consult the display manufacturer's specifications or internal settings of the specific display. 	
		2. Only one control device may be connected via direct connection method.	
		additional equipment and c authorized integrator and/	hting, shades, thermostats, etc.) requires ommissioning to be provided by a Crestron or programmer. Additional costs may apply. oom based subscription service available



Crestron Flex Advanced Room Upgrade Solution with Microsoft Teams® Rooms

This product may be purchased from select authorized Crestron dealers and distributors. To find a dealer or distributor, please contact the Crestron sales representative for your area. A list of sales representatives is available online at www.crestron.com/How-To-Buy/Find-a-Representative or contact us for additional information by visiting https://www.crestron.com/How-To-Buy/Find-a-Representative or contact us for additional information by visiting https://www.crestron.com/contact/our-locations for your local contact.

This product is covered under the Crestron standard limited warranty. Refer to www.crestron.com/warranty for full details.

The specific patents that cover Crestron products are listed online at patents.crestron.com.

Certain Crestron products contain open source software. For specific information, please visit <u>www.crestron.com/opensource</u>.

Crestron, the Crestron logo, DigitalMedia, and XiO Cloud are either trademarks or registered trademarks of Crestron Electronics, Inc. in the United States and/or other countries. HDMI is either a trademark or registered trademark of HDMI Licensing LLC in the United States and/or other countries. Intel Core is either a trademark or registered trademark of Intel Corporation in the United States and/or other countries. Microsoft Teams and Windows are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. DisplayPort and VESA are either trademarks or registered trademarks of Video Electronics Standards Association in the United States and/or other countries. Other trademarks, registered trademarks, and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Crestron disclaims any proprietary interest in the marks and names of others. Crestron is not responsible for errors in typography or photography.

HOMI

Specifications are subject to change without notice.


©2025 Crestron Electronics, Inc.

Rev 03/03/25



Crestron Flex Advanced Room Upgrade Solution with Microsoft Teams® Rooms

UC Bracket Assembly



1.87 in. (48 mm)

@

ĕ́?⊛

ē

æ

C

